

DONALD TUCKER
CHAIRMAN

RAYMOND LUCHKO
VICE CHAIRMAN

ROBERT M. BURKE, JR.
THOMAS J. CIFELLI
DOMINIC W. CUCCINELLO
RONALD W. GIACONIA
JAMES KRONE
FRANK ORECHIO
COMMISSIONERS



**Passaic Valley
Sewerage Commissioners**

**600 WILSON AVENUE
NEWARK, N.J. 07105
(201) 344-1800
Fax: (201) 344-2951**

CARMINE T. PERRAPATO
EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT
DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO
CHIEF COUNSEL

LOUIS LANZILLO
CLERK

April 20, 1992

Mr. Gary Sanderson, Case Manager
Bureau of ECRA
Department of Environmental Protection & Energy
401 East State Street
5th Floor
Trenton, New Jersey 08625

**RE: DISCHARGE OF PRETREATMENT SYSTEM
FORMER HEXCEL CORPORATION SITE
205 MAIN STREET, LODI, BOROUGH
BERGEN COUNTY
ECRA CASE #86009**

Dear Mr. Sanderson:

This letter is prepared, at the request of Hexcel Corporation, to provide you with some record of ongoing discussions between Hexcel and the PVSC regarding short and long term disposal of water derived from the ECRA site cleanup. Most recently, we had a meeting with Mr. A. William Nosil of Hexcel and Mr. Joe Ritchey of Heritage on Wednesday, March 18, 1992. At that time they provided us with two copies of a report titled "Alternate Discharge of Groundwater Pretreatment System - Preliminary Feasibility Study" dated March 16, 1992. Though we have not had sufficient time to thoroughly review this document, we can comment on some general conclusions regarding discharge alternatives.

Hexcel has been making reasonable progress towards finding a suitable long-term means of discharge for the water. It appears at this time that there are no "good" alternatives other than discharging the water to the PVSC. PVSC would accept this pretreated wastewater if no other reasonable alternative exists, provided Hexcel complies with the PVSC Rules and Regulations.

SDMS Document



88415

**RE: DISCHARGE OF PRETREATMENT SYSTEM
FORMER HEXCEL CORPORATION
205 MAIN STREET, LODI BOROUGH
BERGEN COUNTY
ECRA CASE #86009**

April 20, 1992


Page 2

Regarding short term discharge, PVSC will continue to accept the discharge of treated basement seepage and the preliminary treatment facility testing to be used for the long term discharge in accordance with Fine Organics previous verbal approvals. However, if PVSC determines that the long term discharge will be accepted it will be Hexcel's responsibility to have their own PVSC permit in place. This will include the installation of a separate sewer line which can be isolated from the Fine Organics discharge.

It is also important to note during the extended period of temporary discharge PVSC expects that this project will be finalized. The target date of November 30, 1992 will be reflected in a review to Fine Organics Permit #17405042

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS


Frank P. D'Ascensio
Manager of Industrial & Pollution Control

FPD/mc

cc: Carmine T. Perrapato, Executive Director
Robert Davenport, Deputy Executive Director
A. William Nosil, Hexcel
Joe Ritchey, Heritage
Lisa Bromberg, Porzio, Bromberg & Newman
Jim Higdon, Fine Organics
M. Naughton, Kummer & Naughton

884150002